

## **General Special Provision Revisions**

### **Effective August 5, 2002**

#### **General Special Provision 0403092.GR5 Spreading and Finishing**

This special provision is new and it is to be utilized on all projects containing a Superpave class of asphalt concrete. This specification outlines the nominal compacted depth for each class of Superpave asphalt concrete.

#### **General Special Provision 050301A.GR5 Concrete Mix Design for Paving**

This specification was modified by specifying that only non-chloride accelerating admixtures can be used in concrete pavement mix designs.

#### **General Special Provision 02031301.FB6 Modular Expansion Joint System**

This specification was revised to change the company name of one of the prequalified modular expansion joint system suppliers.

#### **General Special Provision 0221.GR6 Resin Bonded Anchors**

This special provision was revised to clear up the confusion between the GSP and how the approved anchors systems are specified in the Qualified Products List (QPL). To resolve this issue, the reference to the QPL was eliminated and the systems must conform to the specifications contained in the GSP. In addition, some minor changes were made under the heading "Ultimate Anchor Tensile Capacity" in the areas of concrete compressive strength and the tensile capacity of the 3/8- and 1 1/4-inch anchors.

#### **General Special Provision 02213.GB6 Fractured Fin Finish**

This revision provides clarity on the intent for ABS and plastic form liners and also makes the specification clear that the ABS or plastic form liners are not allowed to have horizontal splices.

#### **General Special Provision 02214.GB6 Fractured Granite Finish**

This revision provides clarity on the intent for ABS and plastic form liners and also makes the specification clear that the ABS or plastic form liners are not allowed to have horizontal splices.

#### **General Special Provision 02215.GB6 Random Board Finish**

This revision provides clarity on the intent for ABS and plastic form liners and also makes the specification clear that the ABS or plastic form liners are not allowed to have horizontal splices.

#### **General Special Provision 02219.GB6 Pigmented Sealer**

This special provision was revised by changing the color chip of the specified pigmented sealer from "Washington Grey (Revised)" to "Washington Grey."

**General Special Provision 02221.GB6 Strip Seal Expansion Joint System**

This special provision was revised by changing the color chip of the specified pigmented sealer from “Washington Grey (Revised)” to “Washington Grey.”

**General Special Provisions 02318.GR6 Placing Anchor Bolts**

This special provision was revised to clear up the confusion between the GSP and how the approved anchors systems are specified in the Qualified Products List (QPL). To resolve this issue, the reference to the QPL was eliminated and the systems must conform to the specifications contained in the GSP.

**General Special Provisions 1101A.GR8 Cable Barrier**

This is a new GSP added due to increased use of Cable Barrier on a statewide basis. This addition also includes GSPs 1102.GR8, 1102A.GR8, 1103B.GR8, 11042.GR8, and 11052.GR8.

**General Special Provision 200221.GR8 Light and Signal Standards**

This revision updates the pre-approved drawing number for the Ameron Pole supplier.

**General Special Provision 200224.GR8 Light Standards with Type 2 Luminaire Arms**

This revision updates the pre-approved drawing number for the Ameron Pole supplier.

**General Special Provision STDPLANS.GR9 Standard Plans**

This revision contains amendments to Standard Plans C-1 Sheet 2 and G8a Sheet 1.